



Aminovit Oral

Vitamins and amino acids in oral solution



Specifically designed for a high yield in poultry

- ✓ Indicated in periods of maximum production
- ✓ Protective effect on cells
- ✓ Stimulates cell replication

Appropriate combination of vitamins and amino acids

- ✓ Contains folic acid
- ✓ Contains choline: liver metabolism regulator

Convenience of use

- ✓ 1 ml per litre of drinking water
- ✓ Does not precipitate: does not obstruct drinking troughs
- ✓ Animals accept it very well



Aminovit Oral Vitamins and amino acids in oral solution



Vitamins and their functions in the organism

Vitamin A (retinol)

Maintenance of the epithelium, particularly of the eye, respiratory and gastrointestinal tract. Enhances the immune function.

Vitamin D3 (calciferol)

Bone growth, metabolism of Calcium and Phosphorus.

Niacinamide (B3)

Participates in the generation of energy and in the synthesis of basic growth hormones. Restoral of the DNA.

Pantothenic acid (B5)

Synthesis of the coenzyme A, essential for cellular respiration. Synthesis of fatty acids, cholesterol, and acetylcholine.

Vitamin K3 (menadione)

Coagulant.

Vitamin E (tocopherol)

Antioxidant, preservation of tissues.

Vitamin C (Ascorbic acid)

Growth of connective tissue, production of collagen.

Vitamin B2 (riboflavin)

Protects the integrity of the mucosa and of the skin.

Vitamin B1 (thiamine)

Metabolism of carbohydrates. Essential for neonatal growth and development and the functioning of the heart, the nervous system and the digestive system.

Vitamin B6 (pyridoxine)

Metabolism of neurotransmitters. Increases muscle performance.

Choline chloride

Hepatoprotective: participates in the metabolism of fats in the liver and is essential for the formation of the cell membranes.

Folic acid (B9)

Production and maintenance of new cells. Essential in pregnancy and in growth.

Biotin (B8 or Vit H)

Necessary for skin growth and its attached organs, especially the feathers.

Vitamin B12 (Cyanocobalamin)

Nervous system, maintenance of myelin, red blood cells and regeneration of tissues.

COMPOSITION PER LITRE

Vitamins, provitamins and well-defined chemical substances having a similar effect:

Vitamin A (3a672b)	1,345,000 IU
Vitamin D3 (E 671)	335,000 IU
Niacinamide (3a315)	5 g
D-Panthenol (3a842)	2.67 g
Vitamin K3 (3a710)	1.56 g
Vitamin E / all-rac- α -tocopheryl acetate (3a700)	1.05 g
Vitamin C / Ascorbic acid (3a300)	1 g
Vitamin B2 / Riboflavin sodium phosphate	0.67 g
Vitamin B1 (3a820)	0.34 g
Vitamin B6 / Pyridoxine HCl (3a831)	0.13 g
Choline chloride (3a890)	0.13 g
Folic acid (3a316)	36.6 mg
Biotin (3a880)	166 μ g
Vitamin B12 / Cyanocobalamin	3.4 mg
Mixture of flavouring compounds	2 g
Preservatives: Sodium benzoate (1a700)	0.83 g
Antioxidants: Ethoxyquin (E 324)	0.07 g

Analytical composition:

Glutamic acid	1.29 g	Isoleucine	0.33 g
Aspartic acid	0.78 g	Alanine	0.29 g
Leucine	0.55 g	Glycine	0.28 g
Arginine	0.51 g	Threonine	0.25 g
Lysine	0.42 g	Tyrosine	0.25 g
Serine	0.35 g	Histidine	0.17 g
Phenylalanine	0.35 g	Methionine	0.09 g
Proline	0.35 g	Tryptophan	0.09 g
Valine	0.34 g	Cystine	0.09 g

INDICATIONS

Supplement of amino acids and vitamins for the critical periods in the life of the animal: periods of maximum production, reproduction, pregnancy, lactation, etc. Contains biotin and choline to reinforce the protective effect of the cells and stimulate cell replication.

DOSAGE AND ADMINISTRATION ROUTE

Oral solution for administration in drinking water, for at least 7 days.

Poultry: 1 ml/litre of drinking water.

CONTRAINDICATIONS

Do not administer simultaneously with Vitamin D2.

SPECIAL PRECAUTIONS FOR STORAGE

Store in a cool and dry place, below 25 °C and protected from light
Shelf life: 2 years, stored in its original closed container.

PRESENTATIONS

200 ml and 1 litre bottles.

5 litre jug.

α ESP-08100341

